

Decorative Profiles Catalog

VERSION
11.23

2024



**"Proudly Manufactured
in North America"**

Trimco[®]

1-800-265-6074
472 Newbold St, London, ON
N6E 1K6

Table of Contents

01 About Us

02 Our Capabilities

03 Custom Parts

05 Plastic Profiles
Information

06 Premium Top-Coated
Chrome Features

07 Profile Specifications

11 Profiles Chart

15 Trimco Color
Program

18 Contact Information

17 Warranty

About Us

Trimco, our Industrial division of Trim-Gard Limited Company, was founded in 1968 to provide the market with a reliable source of plastic extrusions.

Established in London, Ontario, the company has evolved to become a recognized leader in the design and development of custom extrusions for the industrial, marine, automotive and furniture sectors.



We specialize in the lamination of tape and mylar onto flexible plastic and rubber extrusions.



We use original equipment approved polymers and 3M acrylic foam tape for outstanding performance and reliability.



Our in-house tool and design facility provides expert engineering from design concept through to the final product.



Our Products use

3M

Acrylic Foam Tape

Our Capabilities

Polymers

- Plasticized Polyvinyl Chloride (PPVC or Flexible PVC)
- Unplasticized Polyvinyl Chloride (UPVC or Rigid PVC)
- Thermoplastic Vulcanate (TPV Foamed or Closed Cell)
- Thermoplastic Elastomer (TPE)
- Thermoplastic Polyolefin (TPO)
- Polypropylene (PP)
- Acrylonitrile Butadiene Styrene (ABS)
- High Impact Polystyrene (HIPS)
- Low Density Polyethylene (LDPE)

Extrusion Lines

- 4 lines with output ranges of 125-300lbs per hour
- Co-extruders

Tooling

- In-house tool and die
- In-house engineering

In-Line

- 3M Foam taping
- Heat Activated Tape (HAT) taping
- Cut-to-length (square ends only, no miters)
- Multi-purpose adhesive application
- Butyl glue application
- Texturing (graining or embossing)

Post-Processing

- Precision cut-to-length machines (square and angled cut)
- Thermo-formed ends
- 2 Axis CNC routing

**Design.
Engineer.
Manufacture.**



Custom Parts

As a leading manufacturer of plastic extrusions serving a wide range of industries, we offer custom parts with materials, sizes, shapes or colors different from what we regularly offer.

Our team of dedicated professionals can provide you with assistance to find a solution to your application. We will also help you with the design and with the samples.

Custom parts are subject to minimum order quantities.

TRIMCO

The Right Solution

We manufacture high-quality, competitively-priced custom production parts.



Edge Trims
for
furniture



Seals and
Edge Trim for
Enclosures




Seals and
Edge Trim for
HVAC



Edge Trims
and Seals
for RVs




Edge Trims
and Seals
for Airstream



Edge Trims
for
boats



Edge Guards
for heavy
machinery




Seals for
metallic
Enclosures




Edge trims
for
metallic
frames



Edge Guards
for
wheelchairs



Edge trims
for
Spas



Whether you
need to replace
a factory
component or
need a custom...



Trimco
can
help!

Industrial applications often require custom parts.
Trimco has been a solutions provider for more than 50 years, bringing to the market premium cost-effective parts that meet exact clients' needs in any industry.

Plastic Profiles

Decorative Trims are an affordable, easy way to protect and enhance the look of your application. Made of PVC, these parts will absorb any impact on your application body, preventing scratches, dents, and dings while also making it stand out.



Chrome Trims are decorative parts that include a chrome mylar finish encapsulated with a thin layer of crystal-clear vinyl, giving it more protection and durability. This layer also improves the look of the chrome by imparting a deep, rich glow not possible before.

We were the first company to offer **high-quality top-coated chrome trims**, which are proven to be both long-lasting and more durable in all types of interior and exterior applications than our competitors.




Durability

Trims include 3M Acrylic Foam Tape, guaranteeing **durability for long-term efficiency**.

Resist cold, UV light, temperature cycling, moisture and solvent. Our product is ready to seal against environmental conditions.






NO OTHER

**Chrome molding is so well
protected...**

***and no other chrome molding looks
so great!***



20X

thicker than standard weatherable film, U.V. stabilized, crystal clear protective vinyl shield, protects trim from stones and salt damage like never before.

Bright chrome mylar permanently sealed with Trim-Gard's top/capping process. It imparts a deep rich glow, while remaining durable and flexible.

Top quality O.E. approved acrylic adhesive grabs on fast.

The tough PVC body supports the entire molding with a durable, highly flexible foundation, making installation a breeze.

Trimco[®]



3M
Acrylic Foam Tape


Featured Plastic Profiles



Decorative Trim
C600 Series




Decorative Trim
600 Series



Decorative Trim
CM88 Series



Chrome Trim
8000 Series



Decorative Trim
CM44 Series




Lip Guard
RRT32



Decorative Trim
PP01TC Series



Chrome Trim
PT500 Series



Plastic Profiles

Universal Decorative Trims

Applications ideas: Mostly used in cars, trucks, RVs, and boats. These trims can be installed in hot tubs, spas, walls and furniture in order to make them suit a certain style, vision or interior design.



M300 Series

3M™ Acrylic Foam Tape
Premium Chrome Available



M200 Series

3M™ Acrylic Foam Tape



CI01 Series

3M™ Acrylic Foam Tape
Premium Chrome Available



300 Series

3M™ Acrylic Foam Tape
Premium Chrome Available
Colors Available - See Page No. XX




Colors Available



O300 Series

3M™ Acrylic Foam Tape
Premium Chrome Available



R100 Series

3M™ Acrylic Foam Tape



PT500 Series

3M™ Acrylic Foam Tape
Premium Chrome Available




200 Series

3M™ Acrylic Foam Tape



C600 Series

3M™ Acrylic Foam Tape



600 Series

3M™ Acrylic Foam Tape

Profiles Specifications, Colors & Lengths Available - Go to Page No. 11-12

Plastic Profiles

Universal Decorative Trims

Applications ideas: Cars, trucks, RVs, boats, hot tubs, spas, walls and furniture in order to make them suit a certain style, vision or interior design.



N90 Series

3M™ Acrylic Foam Tape
Premium Chrome Available



900 Series

3M™ Acrylic Foam Tape
Premium Chrome Available



PT7500 Series

3M™ Acrylic Foam Tape
Premium Chrome Available



PC Series

3M™ Acrylic Foam Tape



PP01TC Series

3M™ Acrylic Foam Tape
Premium Chrome Available




CM44 Series

3M™ Acrylic Foam Tape




PT1000 Series

3M™ Acrylic Foam Tape
Premium Chrome Available



FN16 Series

3M™ Acrylic Foam Tape



BT01 Series

3M™ Acrylic Foam Tape
Premium Chrome Available



8000 Series

3M™ Acrylic Foam Tape
Premium Chrome Available




Profiles Specifications, Colors & Lengths Available - Go to Page No. 12-13


Plastic Profiles

Universal Decorative Trims

Applications ideas: Cars, trucks, RVs, boats, hot tubs, spas, walls and furniture in order to make them suit a certain style, vision or interior design.



CM88 Series
3M™Acrylic Foam Tape




1400 Series
3M™Acrylic Foam Tape
Premium Chrome Available



CMV Series
3M™Acrylic Foam Tape
Premium Chrome Available



99GT Series
3M™Acrylic Foam Tape
Premium Chrome Available



2500 Series
3M™Acrylic Foam Tape



3500 Series
3M™Acrylic Foam Tape

Profiles Specifications, Colors & Lengths Available - Go to Page No. 13-14

Profiles Chart

Profiles Specifications, Colors & Lengths Available

Plastic Profiles

PROFILE SERIES	PROFILE SPECIFICATIONS	COLOR	LENGTH	TRIMCO PART NO.	UNITS / CTN
M300	9/32" (7.14mm)	Chrome	20' (6.1M)	M301-20	18 (18 lb)
			50' (15.2M)	M301-50	18 (36 lb)
		Black	20' (6.1M)	M302-20	18 (18 lb)
			50' (15.2M)	M302-50	18 (36 lb)
M200	3/8" (9.53mm)	Black	50' (15.2M)	M202-50	18 (36 lb)
CI01	17/40" (10.80mm)	Chrome	50' (15.2M)	CI01-50	
		Black	50' (15.2M)	CI02-50	
300	7/16" (11.00mm)	Chrome	20' (6.1M)	301-20	18 (36 lb)
50' (15.2M)			301-50	18 (54 lb)	
150' (46M)			301-150	5 (40 lb)	
See Color chart Program		Colors	20' (6.1M)	3000-20	18 (36 lb)
			50' (15.2M)	3000-50	18 (54 lb)
			200' (61M)	3000-200	5 (40 lb)
0300	7/16" (11.00mm)	Chrome	20' (6.1M)	0301-20	18 (36 lb)
			50' (15.2M)	0301-50	18 (54 lb)
			150' (46M)	0301-150	5 (40 lb)
		Black	20' (6.1M)	0302-20	18 (36 lb)
			50' (15.2M)	0302-50	18 (54 lb)
			150' (46M)	0302-150	5 (40 lb)
		White	50' (15.2M)	0300-50	18 (54 lb)
			150' (46M)	0300-150	5 (40 lb)
R100	7/16" (11.0mm)	Black & Chrome	50' (15.2M)	R102-50	18 (36 lb)
			150' (46M)	R102-150	5 (31 lb)
PT500	1/2" (12.7mm)	Chrome	20' (6.1M)	PT501-20	
			50' (15.2M)	PT501-50	
			100' (30.5M)	PT501-100	

Profiles Chart

Profiles Specifications, Colors & Lengths Available

Plastic Profiles

PROFILE SERIES	PROFILE SPECIFICATIONS	COLOR	LENGTH	TRIMCO PART NO.	UNITS / CTN
200	1/2" (12.7mm)	Black & Chrome	20' (6.1M)	201-20	12 (22 lb)
			50' (15.2M)	201-50	12 (48 lb)
			150' (46M)	201-150	5 (60 lb)
		Black	20' (6.1M)	202-20	12 (22 lb)
			50' (15.2M)	202-50	12 (48 lb)
			150' (46M)	202-150	5 (60 lb)
C600	9/16" (14.3mm)	Black	16' (4.9M)	C602-16	12 (24 lb)
			50' (15.2M)	C600-50	12 (60 lb)
602	9/16" (14.3mm)	Black	50' (15.2M)	602-50	8 (48 lb)
900	5/8" (15.9mm)	Chrome	20' (6.1M)	901-20	12 (19 lb)
			50' (15.2M)	901-50	12 (48 lb)
			100' (30.5M)	901-100	5 (33 lb)
		Black	20' (6.1M)	902-20	12 (19 lb)
			50' (15.2M)	902-50	12 (48 lb)
			100' (30.5M)	902-100	5 (33 lb)
N90	5/8" (15.9mm)	Chrome	20' (6.1M)	N91-20	12 (21 lb)
			50' (15.2M)	N91-50	12 (48 lb)
			100' (30.5M)	N91-100	5 (39 lb)
		Black	20' (6.1M)	N92-20	12 (21 lb)
			50' (15.2M)	N92-50	12 (48 lb)
			100' (30.5M)	N92-100	5 (39 lb)
900	5/8" (15.9mm)	Chrome	20' (6.1M)	901-20	12 (19 lb)
			50' (15.2M)	901-50	12 (48 lb)
			100' (30.5M)	901-100	5 (33 lb)
PT7500	3/4" (19.05mm)	Chrome	20' (6.1M)	PT7501-20	
			50' (15.2M)	PT7501-50	

Profiles Chart

Profiles Specifications, Colors & Lengths Available

Plastic Profiles

PROFILE SERIES	PROFILE SPECIFICATIONS	COLOR	LENGTH	TRIMCO PART NO.	UNITS / CTN
PC	3/4" (19.05mm)	Black	16' (4.9M)	PC02-16	9 (18 lb)
			42' (12.8M)	PC02-42	9 (45 lb)
PP01TC	7/8" (22.2mm)	Chrome	20' (6.1M)	PP01TC-20	8 (32 lb)
			50' (15.2M)	PP01TC-50	6 (48 lb)
CM44	7/8" (22.2mm)	Black	26' (7.9M)	CM44-02-26	10 (30 lb)
		White	26' (7.9M)	CM44-04-26	10 (30 lb)
CM88	1" (25.4mm)	Black	42' (12.8M)	CM88-02-42	8 (56 lb)
FN16	1" (25.4mm)	Black	16' (4.9M)	FN16-02	8 (24 lb)
		White	16' (4.9M)	FN16-04	8 (24 lb)
8000	1" (25.4mm)	Black Embossed	20' (6.1M)	8002E-20	6 (18 lb)
			50' (15.2M)	8002E-50	6 (42 lb)
			100' (30.5M)	8002E-100	3 (45 lb)
		Black Smooth	20' (6.1M)	8002S-20	6 (18 lb)
			50' (15.2M)	8002S-50	6 (42 lb)
			100' (30.5M)	8002S-100	3 (45 lb)
		Chrome	20' (6.1M)	8001-20	6 (18 lb)
			50' (15.2M)	8001-50	6 (42 lb)
BT01	1" (25.4mm)	Chrome	16' (4.9M) (2x8' W/Die Cut End Tips)	BT01DC-16	8 (24 lb)
			30' (9.2M)	BT01-30	8 (32 lb)
PT1000	1" (25.4mm)	Chrome	20' (6.1M)	PT10001-20	
			50' (15.2M)	PT10001-50	
CMV	1-1/2" (38.1mm)	Chrome	20' (6.1M)	CMV01-20	6 (30 lb)
			50' (15.2M)	CMV01-50	6 (66 lb)
		Black	20' (6.1M)	CMV02-20	6 (30 lb)
			50' (15.2M)	CMV02-50	6 (66 lb)

Profiles Chart

Profiles Specifications, Colors & Lengths Available

Plastic Profiles

PROFILE SERIES	PROFILE SPECIFICATIONS	COLOR	LENGTH	TRIMCO PART NO.	UNITS / CTN
1400	1 3/8" (35.0mm)	Black High Gloss	20' (6.1M)	1402HG-20	6 (24 lb)
			50' (15.2M)	1402HG-50	6 (48 lb)
		White High Gloss	50' (15.2M)	1404HG-50	6 (48 lb)
		Chrome	14' (4.1M) (2x7' W/Die Cut End Tips)	1401DC-14	7 (28 lb)
			50' (15.2M)	1401-50	6 (48 lb)
2500	2" (50.8mm)	Black Embossed	20' (6.1M)	2502E-20	4 (20 lb)
			50' (15.2M)	2502E-50	4 (48 lb)
			100' (30.5M)	2502E-100	2 (44 lb)
		Black Smooth	20' (6.1M)	2502S-20	4 (20 lb)
			50' (15.2M)	2502S-50	4 (48 lb)
			100' (30.5M)	2502S-100	2 (44 lb)
99GT	2" (50.8mm)	Chrome or Black	16' (4.9M) (2x8' W/Die Cut End Tips)	99GT-00-K1	5 (25 lb)
		Chrome	50' (15.2M)	99GT-01-50	5 (60 lb)
		Black	50' (15.2M)	99GT-02-50	5 (60 lb)
3502	3 1/4" (82.55mm)	Black Embossed	16' (4.9M)	3502E-16	1 (8lb)
		Black Smooth	50' (15.2M)	3502S-50	1 (37lbs)

Color Program

COLOR CHART See Next Page for Color Availability



ACTUAL COLORS MAY VARY SLIGHTLY

Color Program

COLOR CHART AVAILABILITY

COLOR	Universal Decorative Trims	L-Style Edge Trim Moldings
	300 Series	NE Series
000 - CLEAR		✓
040 - SUPER WHITE	✓	✓
068 - POLAR WHITE		✓
070 - BLIZZARD PEARL	50'	✓
071 - ARCTIC FROST		✓
089 - CRYSTAL RED TINTCOAT		50'
0J7 - MAGNETIC METALLIC	200'	50'
0RR - RUBY RED METALLIC	200'	✓
0UG - WHITE PLATINUM PEARL	200'	50'
0UX - INGOT SILVER METALLIC		50'
1D6 - SILVER SKY		✓
1E0 - FLINT MICA		50'
1F7 - CLASSIC SILVER	✓	✓
1F8 - METEOR METALLIC		✓
1F9 - SLATE METALLIC		50'
1G3 - MAGNETIC GRAY	✓	✓
202 - BLACK	✓	✓
209 - BLACK SAND PEARL	50'	200'
3L5 - RADIANT RED		✓
3P0 - ABSOLUTE RED		✓
3Q7 - CASSIS PEARL	200'	50'
3R3 - BARCELONA RED		✓
4Q2 - DESERT SAND	200'	50'
4T3 - PYRITE MICA	200'	50'
4T8 - SANDY BEACH	200'	50'
4U2 - GOLDEN UMBER	200'	
6T6 - EVERGLADE METALLIC	200'	50'
700 - ALABASTER SILVER		50'
797 - MOD STEEL METALLIC		✓
8Q5 - COSMIC BLUE		50'
8R3 - PACIFIC BLUE		50'
8S6 - NAUTICAL BLUE		✓
8T0 - BLAZING BLUE		✓
8T5 - BLUE RIBBON METALLIC		50'
8T7 - BLUE STREAK		✓
8V1 - WINTER GRAY		50'

Note:

✓ Available in Lengths of 50' and 200' according to the color chart

Warranty / Garantie / Garantía

Trimco® (a division of Trim-Gard Company Limited) products are warranted to be free of defect(s) in material and workmanship for 12 months from the date of manufacturing (excluding Seals & Gaskets). Chrome trim with top cap must have all cut ends sealed with TG End Sealer to maximize weather ability and validate the warranty. The material must be applied as per instruction. Any material deemed defective by the manufacturer will be replaced on a one-for-one footage basis upon proper authorization and presentation of the defective material. No labor costs will be honored. The manufacturer accepts no responsibility for any damage resulting from the installation or removal of our products.

* CUSTOMER MUST DETERMINE SUITABILITY AND FIT FOR EACH APPLICATION *

TERMS

April 3, 2023 terms to supersede all prior terms
Net 30 days (on credit approval) 2% per month charged on overdue accounts

RETURNS

All returned material must have written authorization and be returned freight prepaid. All returned merchandise (must have an invoice date no older than 6 months), color, and/or profile is subject to a 20% restocking fee. No cash refunds on returned goods. Exchange only

CLAIMS - LOSS & SHORTAGE

Any claims for product shortage or errors must be submitted to Trimco in writing within five (5) business days of receipt of shipment. Any claims for loss or damage in transit must be made directly to the delivery carrier. The loss must be noted on the delivery receipt.

Les produits Trimco (une division de Trim-Gard Company Limited) sont garantis sans défaut (s) de matériel et de main d'œuvre pendant 12 mois à partir de la date de fabrication (à l'exclusion des joints et des joints). La garniture chromée avec capuchon supérieur doit avoir toutes les extrémités coupées scellées à l'aide d'un scellant d'extrémité TG pour maximiser la météo et valider la garantie. Le matériel doit être appliqué selon les instructions. Tout matériel défectueux par le fabricant sera remplacé sur une base de pied un pour un sur une autorisation et une présentation appropriées du matériel défectueux. Aucun frais de main d'œuvre ou de fret ne sera honoré. Le fabricant n'accepte aucune responsabilité pour tout dommage résultant de l'installation ou du retrait d'une (des) moulure(s).

"LE CLIENT DOIT DÉTERMINER L'ADÉQUATION ET L'ADAPTATION À CHAQUE APPLICATION"

TERMES

3 Avril, 2023 conditions pour supprimer toutes les conditions antérieures
Net 30 jours (sur approbation de crédit) 2% par mois facturé sur les comptes en retard

RETOUR

Tout le matériel retourné doit avoir une autorisation écrite et être retourné fret prépayé. Toutes les marchandises retournées (doivent avoir une date de facturation ne dépassant pas 6 mois), de la couleur et/ou du profil sont soumises à des frais de restauration de 20%. Aucun remboursement en espèces sur les marchandises retournées. Échange uniquement

RÉCLAMATIONS - PERTE ET PÉNURIE

Toute réclamation pour pénurie de produit ou erreur doit être soumise à trimco ini par écrit dans les cinq (5) jours ouvrables de la réception de l'expédition. Toute réclamation pour perte ou dommage en transit doit être faite directement au transporteur de livraison. La perte doit être indiquée sur le reçu de livraison.

Se garantiza que los productos de Trimco (una división de Trim-Gard Company Limited) están libres de defectos de material y mano de obra durante 12 meses a partir de la fecha de fabricación (excluyendo sellos y juntas). La moldura cromada con tapa superior debe tener todos los extremos cortados sellados con un sellador de extremos tg para maximizar la resistencia a la intemperie y validar la garantía. El material debe aplicarse según las instrucciones. Cualquier material considerado defectuoso por el fabricante será reemplazado en pie de pie de uno por uno con la autorización y presentación apropiadas del material defectuoso. Ningún costo de mano de obra o de flete será honrado. El fabricante no acepta responsabilidad por cualquier daño resultado de la instalación o el retiro de una moldura (s).

"EL CLIENTE DEBE DETERMINAR LA ADECUACIÓN Y EL ADECUADO PARA CADA APLICACIÓN "

CONDICIONES

Los términos del 3 de abril de 2023 supercederán todos los términos anteriores.
30 días netos (con la aprobación de crédito) 2% mensual cargado en cuentas vencidas.

DEVOLUCIONES

Todo el material devuelto debe tener autorización por escrito y ser devuelto con flete prepagado. Toda la mercancía devuelta con una antigüedad no mayor a 6 meses desde la fecha de facturación, color y/o perfil están sujetos a una tarifa de reposición del 20%. No hay reembolsos en efectivo de los bienes devueltos. Sólo intercambio.

RECLAMOS - PÉRDIDA Y ESCASEZ

Cualquier reclamo por escasez de productos o errores debe enviarse a trimco ini por escrito dentro de los cinco (5) días hábiles de recibir el envío. Cualquier reclamo por pérdida o daño en tránsito debe hacerse directamente al transportista. La pérdida se debe anotar en el recibo de entrega.

Contact Us



OUR MAIN OFFICE

472 Newbold Street
London, Ontario,
Canada N6E 1K6



PHONE NUMBER

Toll Free: 1-800-265-6074
(519) 681-1090
Ext. 217 (Sales)



EMAIL & WEBSITE

sales@trimco.info
www.trimco.info

SOCIAL MEDIA



[@trimco.info](https://www.instagram.com/trimco.info)



[trimco.info](https://www.facebook.com/trimco.info)



[Trimco a Division
of Trim-Gard](#)



[@trimcomanufacturing](https://www.youtube.com/trimcomanufacturing)

Need Samples?

If you are a dealer, wholesaler, distributor, or looking for a custom part for your project, we'd love to send you samples of our products.

Get in touch!