

The background of the cover features a collection of various edge trim profiles. In the upper right, there is a large, thick, orange-colored U-shaped trim. Below and to the left of this, several black trims of different shapes and sizes are scattered on a light gray surface. Some are rectangular, some are curved, and some have a T-shaped cross-section. A large, bold red geometric shape, resembling a stylized 'Z' or a series of connected triangles, is overlaid on the left side of the image, partially obscuring the black trims. The Trimco logo is positioned in the top left corner, within the red shape.

Trimco®

EDGE TRIMS

PRODUCT CATALOG

2024

V.11.10.23

Table of Contents

01 About Us

02 Our Capabilities

04 Custom Parts

05 Premium Top Coated
Chrome Features

06 Edge Trims
Information

07 Profile Specifications

11 Profiles Chart

15 Trimco Color
Program

17 Warranty

18 Contact Information

About Us

Trimco supplies industrial clients with quality plastic extrusion parts for a variety of applications.



We specialize in the lamination of tape and mylar onto flexible plastic and rubber extrusions.



We use original equipment approved polymers and 3M acrylic foam tape for outstanding performance and reliability.



Our in-house tool and design facility provides expert engineering from design concept through to the final product.



Our Products use

3M

Acrylic Foam Tape

Our Capabilities

Polymers

- Plasticized Polyvinyl Chloride (PPVC or Flexible PVC)
- Unplasticized Polyvinyl Chloride (UPVC or Rigid PVC)
- Thermoplastic Vulcanate (TPV Foamed or Closed Cell)
- Thermoplastic Elastomer (TPE)
- Thermoplastic Polyolefin (TPO)
- Polypropylene (PP)
- Acrylonitrile Butadiene Styrene (ABS)
- High Impact Polystyrene (HIPS)
- Low Density Polyethylene (LDPE)

Extrusion Lines

- **8 plastic lines with co-extrusion capabilities**
- **6 rubber lines with co-extrusion capabilities**

Tooling

- In-house tool and die
- In-house engineering

In-Line

- 3M Foam taping
- Heat Activated Tape (HAT) taping
- Cut-to-length (square ends only, no miters)
- Multi-purpose adhesive application
- Hot Melt application
- Texturing (graining or embossing)

Post-Processing

- Precision cut-to-length machines (square and angled cut)
- Vulcanizing, both straight splicing and corner joining
- Die cutting and press punching

Design. Engineer. Manufacture.



Custom Parts

As a leading manufacturer of plastic extrusions serving a wide range of industries, we offer custom parts with materials, sizes, shapes or colors different from what we regularly offer.

Our team of dedicated professionals can provide you with assistance to find a solution to your application. We will also help you with the design and with the samples.

Custom parts are subject to minimum order quantities.

TRIMCO

The Right Solution

We manufacture high-quality, competitively-priced custom production parts.



Edge Trims
for
furniture



Seals and
Edge Trim for
Enclosures



Seals and
Edge Trim for
HVAC

Edge Trims
and Seals
for RVs



Edge Trims
and Seals
for Airstream




Edge Trims
for
boats



Edge Guards
for heavy
machinery



Seals for
metallic
Enclosures




Edge trims
for
metallic
frames

Edge Guards
for
wheelchairs



Edge trims
for
Spas




Whether you
need to replace
a factory
component or
need a custom...



Trimco
can
help!


Industrial applications often require custom parts.
Trimco has many years of experience working with clients and providing solutions.



NO OTHER

**Chrome molding is so well
protected...**

***and no other chrome molding looks
so great!***



20X

thicker than standard weatherable film, U.V. stabilized, crystal clear protective vinyl shield, protects trim from stones and salt damage like never before.

Bright chrome mylar permanently sealed with Trim-Gard's top/capping process. It imparts a deep rich glow, while remaining durable and flexible.

Top quality O.E. approved acrylic adhesive grabs on fast.

The tough PVC body supports the entire molding with a durable, highly flexible foundation, making installation a breeze.

Trimco®



3M
Acrylic Foam Tape

Edge Trims



Rubber Edge Trims are highly flexible plastic trims with excellent threshold against wear and tear. Additionally, they are ozone-resistant, water-resistant, and can stand a wide temperature range, from -20°F to 150°F (-28°C to 65°C).

They are used to cover sheet metal, plastic, fiberglass, wood, found in products with rounded corners and/or tight radius curves, enhancing the product's look. They are decorative and protective parts. Trimco offers Rubber Edge Trims made of different materials, with or without adhesive, and with a variety of gap widths.

Protect. Decorate. Customize.

Edge Guards are made from semi-flexible PVC, which makes them ideal for both straight and round edges. The pressure sensitive thermoplastic adhesive inside the guards guarantees a quick, easy installation.

Lip Guard Trims are a decorative and protective part that will preserve any edge whilst make them more appealing. Its L-style shape makes Lip Guard Trims ideal for thicker edges, protecting applications acting like a bumper.

Fender Trims are made of PVC and designed to be installed between the fender flare and the body of vehicles. This unassuming, yet efficient part will minimize gaps and eliminate the risk of any debris between the fender flare and the vehicle's body, plus isolate vibration, reduce friction and protect the paint while providing an elegant, finished look.




Drip Rails are essentially a marine gutter or an RV gutter system as it allows all water to run off and prevents the accumulation of moisture at the windows, doors, and surfaces of vehicles or boats.

Edge Trim

Featured Edge Trim Profiles



Rubber Edge Trim
C1013



Edge Guard
M400A Series




Edge Guard
22L Series



Edge Guard
20 Series



Edge Guard
400 Series



Drip Rail
WRT Series



Fender Trim
GP1-0005



Edge Trim
RRT32








Edge Trims

C-Style Edge Trim Moldings

Applications ideas: Electrical products and systems, such as control panels, electrical distribution equipment, power distribution units and transfer switches.

GAP THICKNESS

1/32"	1/16"	1/8"	3/16"	1/4"	5/16"
 C1001	 C1002	 C1003	 C1004	 C1005	 C1006
 C1010	 C1011	 C1012	 C1013	 C1014	 C1015
 C2012	 C2010	 C2014	 C2011	Edge Trim can also be ordered with Adhesive for a stronger bond.	
 C2001	 C2002	 C2003	 C2004		
	 C2013		 C2015		

Profiles Specifications, Colors & Lengths Available - Go to Page No. 11-12

Edge Trims

U-Style Edge Trim Moldings

Applications ideas: Metal Enclosures, Unfinished Edges, Car door edges, Venting Machines, Furniture, Displays, etc.



M400A Series
Adhesive



400 Series
Adhesive
Premium Chrome Available



20 Series
Adhesive
Premium Chrome Available



M400JA Series
Adhesive



22L Series
Adhesive
Premium Chrome Available



22L/OS Series
Adhesive
Premium Chrome Available



J-Style Edge Trim Moldings (Fender Trims)

Applications ideas: Metal Enclosures, Fender Flare Gasket Trim.



NC Series
3M™ Acrylic Foam Tape



MHA/TPE Series
GP1-0005
3M™ Acrylic Foam Tape



MHA/TPE Series
GP1-0007
3M™ Acrylic Foam Tape

Profiles Specifications, Colors & Lengths Available - Go to Page No. 12-13

Edge Trims


L-Style Edge Trim Moldings

Applications ideas: Cars, trucks, RVs, boats, hot tubs, spas, walls and furniture in order to make them suit a certain style, vision or interior design.



NE Series

3M™ Acrylic Foam Tape
Premium Chrome Available
Colors Available



92 Series

3M™ Acrylic Foam Tape



PTC Series

3M™ Acrylic Foam Tape
Premium Chrome Available




RRT02 Series

3M™ Acrylic Foam Tape




RRT32 Series

3M™ Acrylic Foam Tape
Premium Chrome Available




WW2 Series

3M™ Acrylic Foam Tape



WLS Series

3M™ Acrylic Foam Tape



WXL Series

3M™ Acrylic Foam Tape

Drip Rail

Applications ideas: Drip Rail around windows and doors



DR Series

3M™ Acrylic Foam Tape



WRT Series

3M™ Acrylic Foam Tape

Profiles Specifications, Colors & Lengths Available - Go to Page No. 14

Profiles Chart

Profiles Specifications, Colors & Lengths Available

Edge Trims

PROFILE SERIES	PROFILE SPECIFICATIONS	COLOR	LENGTH	TRIMCO PART NO.	Minimum Order Quantity M.O.Q.	UNITS / CTN	OBSERVATIONS
C1001	O.D. 1/4" GAP 1/32"	Black	1000' (305M)	C1001A-1000	12,000 ft	1	SPECIAL ORDER ONLY
C1010	O.D. 3/8" GAP 1/32"	Black	1000' (305M)	C1010-1000	12,000 ft	1	
			1000' (305M)	C1010A-1000		1	
C2012	O.D. 3/16" GAP 1/32"	Black	1000' (305M)	C2012-1000	12,000 ft	1	
			1000' (305M)	C2012A-1000		1	
C2001	O.D. 1/2" GAP 1/32"	Black	750' (228M)	C2001-750	12,000 ft	1	
			750' (228M)	C2001A-750		1	
C1002	O.D. 5/16" GAP 1/16"	Black	1000' (305M)	C1002A-1000	12,000 ft	1	
C1011	O.D. 1/2" GAP 1/16"	Black	500' (152.4M)	C1011-500	7,500 ft	1	
			500' (152.4M)	C1011A-500		1	
C2010	O.D. 9/16" GAP 1/16"	Black	1000' (305M)	C2010-1000	7,500 ft	1	SPECIAL ORDER ONLY
			1000' (305M)	C2010A-1000		1	SPECIAL ORDER ONLY
C2002	O.D. 1/4" GAP 1/16"	Black	750' (228M)	C2002-750	12,000 ft	1	SPECIAL ORDER ONLY
			750' (228M)	C2002A-750		1	SPECIAL ORDER ONLY
C2013	O.D. 3/8" GAP 1/16"	Black	500' (152.4M)	C2013A-500	12,000 ft	1	
C1003	O.D. 3/8" GAP 1/8"	Black	1000' (305M)	C1003A-1000	10,000 ft	1	
C1012	O.D. 5/8" GAP 1/8"	Black	500' (152.4M)	C1012A-500	7,500 ft	1	
C2014	O.D. 5/16" GAP 1/8"	Black	750' (228 M)	C2014-750	12,000 ft	1	SPECIAL ORDER ONLY
			750' (228 M)	C2014A-750		1	SPECIAL ORDER ONLY
C2003	O.D. 5/16" GAP 1/8"	Black	750' (228 M)	C2003-750	12,000 ft	1	SPECIAL ORDER ONLY
			750' (228 M)	C2003A-750		1	SPECIAL ORDER ONLY
C1004	O.D. 15/32" GAP 3/16"	Black	500' (152.4 M)	C1004-500	6,000 ft	1	SPECIAL ORDER ONLY
			500' (152.4 M)	C1004A-500		1	SPECIAL ORDER ONLY
C1013	O.D. 3/4" GAP 3/16"	Black	500' (152.4 M)	C1013A-500	7,500 ft	1	
C2011	O.D. 9/16" GAP 3/16"	Black	500' (152.4 M)	C2011A-500	6,000 ft	1	

Profiles Chart

Profiles Specifications, Colors & Lengths Available

Edge Trims

PROFILE SERIES	PROFILE SPECIFICATIONS	COLOR	LENGTH	TRIMCO PART NO.	Minimum Order Quantity M.O.Q.	UNITS / CTN	OBSERVATIONS
C2004	O.D. 3/8" GAP 3/16"	Black	1000' (305 M)	C2004-1000	10,000 ft	1	
			1000' (305 M)	C2004A-1000		1	
C2015	O.D. 3/4" GAP 3/16"	Black	500' (152.4 M)	C2015-500	7,500 ft	1	SPECIAL ORDER ONLY
			500' (152.4 M)	C2015A-500		1	SPECIAL ORDER ONLY
C1005	O.D. 1/2" GAP 1/4"	Black	500' (152.4 M)	C1005A-500	6,000 ft	1	SPECIAL ORDER ONLY
C1014	O.D. 13/16" GAP 1/4"	Black	500' (152.4 M)	C1014-500	6,000 ft	1	
			RETAIL 25' (7.6 M)	C1014A-25		12	
			500' (152.4 M)	C1014A-500		1	
C1006	O.D. 5/8" GAP 5/16"	Black	500' (152.4 M)	C1006-500	7,500 ft	1	SPECIAL ORDER ONLY
			500' (152.4 M)	C1006A-500		1	SPECIAL ORDER ONLY
C1015	O.D. 15/16" GAP 5/16"	Black	250' (76.0 M)	C1015-250	6,000 ft	1	
			250' (76.0 M)	C1015A-250		1	SPECIAL ORDER ONLY
M400A	1/4" (5.56mm)	Black	50' (15.2M)	M402A-50		18 (36lb)	
			500' (152M)	M402A-500		5 (50lb)	
M400JA	1/4" (5.56mm)	Black	500' (152M)	M402JA-500		5 (50lb)	
400	9/32" (7.14mm) Fits upto 1/8"	Black	50' (15.2m)	402-50		12 (24 lb)	
			150' (46m)	402-150		5 (25 lb)	
		White	50' (15.2m)	404-50		12 (24 lb)	
			150' (46m)	404-150		5 (25 lb)	
		Chrome	50' (15.2m)	401-50		12 (24 lb)	
			150' (46m)	401-150		5 (25 lb)	
See Color chart Program		Colors	150' (46m)	400-150	10,000 ft	5 (25 lb)	SPECIAL ORDER ONLY

Profiles Chart

Profiles Specifications, Colors & Lengths Available

Edge Trims

PROFILE SERIES	PROFILE SPECIFICATIONS	COLOR	LENGTH	TRIMCO PART NO.	UNITS / CTN	OBSERVATIONS
20	5/16" (7.94mm) Fits upto 1/8"	Black	12' (3.65m)	22-12	32 (30 lb)	
			50' (15.2m)	22-50	12 (24 lb)	
			150' (46m)	22-150	5 (25 lb)	
		Chrome (21) Gold (26)	12' (3.65m)	21-12	32 (30 lb)	
			50' (15.2m)	21-50	12 (24 lb)	
			150' (46m)	21-150	5 (25 lb)	
22L	1/2" (12.5mm)	Black	50' (15.2m)	22L-50	12 (24 lb)	
			150' (46m)	22L-150	5 (25 lb)	
		White	50' (15.2m)	24L-50	12 (24 lb)	
		Chrome	50' (15.2m)	21L-50	12 (24 lb)	
22L/OS	1/2" (12.5mm)	Black	150' (46m)	22L/OS-150	5 (25 lb)	SPECIAL ORDER ONLY
NC	5/16" (7.94mm)	Clear	50' (15.2m)	NC00-50	18 (27 lb)	
			500' (152.4m)	NC00-500	2 (30 lb)	
		Black	50' (15.2m)	NC02-50	18 (27 lb)	
			500' (152.4m)	NC02-500	2 (30 lb)	
			500' (152.4m)	NC02/S-500 (FPVC)	2 (32 lb)	
			500' (152.4m)	NC02/TPE-500	2 (22 lb)	
MHA/TPE	11/40" (7.00mm)	Black	20' (6.1m)	GP1-0005-20 (MHA/TPE-20)	24 (15 lb)	
			1000' (305m)	GP1-0005-1000	2 (30 lb)	
			1000' (305m)	GP1-0007-1000	2 (30 lb)	

Profiles Chart


Profiles Specifications, Colors & Lengths Available

Edge Trims

PROFILE SERIES	PROFILE SPECIFICATIONS	COLOR	LENGTH	TRIMCO PART NO.	UNITS / CTN	OBSERVATIONS
NE	5/16" (7.94mm)	Chrome	50' (15.2m)	NE01-50	18 (36lb)	
			150' (46m)	NE01-150	5 (25lb)	
		Gold	50' (15.2m)	NE06-50	18 (36lb)	
			150' (46m)	NE06-150	5 (25lb)	
See Color chart Program		Colors	12' (3.65m)	NE000-12	32 (32lb)	
			50' (15.2m)	NE000-50	18 (36lb)	
			200' (61m)	NE000-200	5 (30lb)	
PTC01	5/16" (7.94mm)	Chrome	32' (9.7m)	PTC01-30	20 (40lb)	
			250' (76.7m)	PTC01-250	2 (12 lb)	
RRT32	15/32" (11.9mm)	Black	50' (15.2m)	RRT32-02-50	12 (36lb)	
			125' (38.3m)	RRT32-02-125	10 (50lb)	
		Chrome	50' (15.2m)	RRT32-01-50	12 (36lb)	
RRT750	3/4" (19.05mm)	Black	50' (15.2m)	RRT750-02-50	M.O.Q 10,000 ft	SPECIAL ORDER ONLY
			100' (30.5m)	RRT750-02-100		
RRT02	27/32" (21.43mm)	Black	50' (15.2M)	RRT02-02-50	8 (40 lb)	
			100' (30.5M)	RRT02-02-100	3 (30 lb)	
		White	100' (30.5M)	RRT040HG-100	3 (30 lb)	
WLS	15/32" (11.9mm)	Black & Chrome	50' (15.2m)	WLS01-50	8 (32 lb)	
		Black	50' (15.2m)	WLS02-50	8 (32 lb)	
92	11/16" (17.5mm)	Black	100' (30.5m)	92NT-100		
92		Black & Chrome	100' (30.5m)	92WC-100		
WW2-WC	11/16" (17.5mm)	Black & Chrome	50' (15.2M)	WW2-WC-50	10 (50 lb)	
WW2-NT		Black	50' (15.2M)	WW2-NT-50	10 (50 lb)	
WXL01	1 1/8" (28.5mm)	Black & Chrome	20' (6.1M)	WXL01-20	8 (32 lb)	
WXL02		Black	20' (6.1M)	WXL02-20	8 (32 lb)	
DR	5/8" (15.9mm)	Black	50' (15.2M)	DR02-50	10 (40 lb)	
			150' (46.0M)	DR02-150	3 (36 lb)	
		White	50' (15.2M)	DR04-50	10 (40 lb)	
WRT	7/8" (22.4mm)	Black	50' (15.2M)	WRT02-50	10 (53 lb)	
		White	50' (15.2M)	WRT04-50	10 (53 lb)	

Color Program

COLOR CHART See Next Page for Color Availability



ACTUAL COLORS MAY VARY SLIGHTLY

Color Program

COLOR CHART AVAILABILITY

COLOR	Universal Decorative Trims	L-Style Edge Trim Moldings
	300 Series	NE Series
000 - CLEAR		✓
040 - SUPER WHITE	✓	✓
068 - POLAR WHITE		✓
070 - BLIZZARD PEARL	50'	✓
071 - ARCTIC FROST		✓
089 - CRYSTAL RED TINTCOAT		50'
0J7 - MAGNETIC METALLIC	200'	50'
0RR - RUBY RED METALLIC	200'	✓
0UG - WHITE PLATINUM PEARL	200'	50'
0UX - INGOT SILVER METALLIC		50'
1D6 - SILVER SKY		✓
1E0 - FLINT MICA		50'
1F7 - CLASSIC SILVER	✓	✓
1F8 - METEOR METALLIC		✓
1F9 - SLATE METALLIC		50'
1G3 - MAGNETIC GRAY	✓	✓
202 - BLACK	✓	✓
209 - BLACK SAND PEARL	50'	200'
3L5 - RADIANT RED		✓
3P0 - ABSOLUTE RED		✓
3Q7 - CASSIS PEARL	200'	50'
3R3 - BARCELONA RED		✓
4Q2 - DESERT SAND	200'	50'
4T3 - PYRITE MICA	200'	50'
4T8 - SANDY BEACH	200'	50'
4U2 - GOLDEN UMBER	200'	
6T6 - EVERGLADE METALLIC	200'	50'
700 - ALABASTER SILVER		50'
797 - MOD STEEL METALLIC		✓
8Q5 - COSMIC BLUE		50'
8R3 - PACIFIC BLUE		50'
8S6 - NAUTICAL BLUE		✓
8T0 - BLAZING BLUE		✓
8T5 - BLUE RIBBON METALLIC		50'
8T7 - BLUE STREAK		✓
8V1 - WINTER GRAY		50'

Note:

✓ Available in Lengths of 50' and 200' according to the color chart

Warranty / Garantie / Garantía

Trimco® (a division of Trim-Gard) products are warranted to be free of defect(s) in material and workmanship for 12 months from the date of manufacturing (excluding Seals & Gaskets). Chrome trim with top cap must have all cut ends sealed with TG End Sealer to maximize weather ability and validate the warranty. The material must be applied as per instruction. Any material deemed defective by the manufacturer will be replaced on a one-for-one footage basis upon proper authorization and presentation of the defective material. No labor costs will be honored. The manufacturer accepts no responsibility for any damage resulting from the installation or removal of our products.

* CUSTOMER MUST DETERMINE SUITABILITY AND FIT FOR EACH APPLICATION *

TERMS

April 3, 2023 terms to supersede all prior terms
Net 30 days (on credit approval) 2% per month charged on overdue accounts

RETURNS

All returned material must have written authorization and be returned freight prepaid. All returned merchandise (must have an invoice date no older than 6 months), color, and/or profile is subject to a 20% restocking fee. No cash refunds on returned goods. Exchange only

CLAIMS - LOSS & SHORTAGE

Any claims for product shortage or errors must be submitted to Trimco in writing within five (5) business days of receipt of shipment. Any claims for loss or damage in transit must be made directly to the delivery carrier. The loss must be noted on the delivery receipt.

Les produits Trimco (une division de Trim-Gard) sont garantis sans défaut (s) de matériel et de main d'œuvre pendant 12 mois à partir de la date de fabrication (à l'exclusion des joints et des joints). La garniture chromée avec capuchon supérieur doit avoir toutes les extrémités coupées scellées à l'aide d'un scellant d'extrémité TG pour maximiser la météo et valider la garantie. Le matériel doit être appliqué selon les instructions. Tout matériel défectueux par le fabricant sera remplacé sur une base de pied un pour un sur une autorisation et une présentation appropriées du matériel défectueux. Aucun frais de main d'œuvre ou de fret ne sera honoré. Le fabricant n'accepte aucune responsabilité pour tout dommage résultant de l'installation ou du retrait d'une (des) moulure(s).

"LE CLIENT DOIT DÉTERMINER L'ADÉQUATION ET L'ADAPTATION À CHAQUE APPLICATION"

TERMES

3 Avril, 2023 conditions pour supprimer toutes les conditions antérieures
Net 30 jours (sur approbation de crédit) 2% par mois facturé sur les comptes en retard

RETOUR

Tout le matériel retourné doit avoir une autorisation écrite et être retourné fret prépayé. Toutes les marchandises retournées (doivent avoir une date de facturation ne dépassant pas 6 mois), de la couleur et/ou du profil sont soumises à des frais de restauration de 20%. Aucun remboursement en espèces sur les marchandises retournées. Échange uniquement

RÉCLAMATIONS - PERTE ET PÉNURIE

Toute réclamation pour pénurie de produit ou erreur doit être soumise à trimco ini par écrit dans les cinq (5) jours ouvrables de la réception de l'expédition. Toute réclamation pour perte ou dommage en transit doit être faite directement au transporteur de livraison. La perte doit être indiquée sur le reçu de livraison.

Se garantiza que los productos de Trimco (una división de Trim-Gard) están libres de defectos de material y mano de obra durante 12 meses a partir de la fecha de fabricación (excluyendo sellos y juntas). La moldura cromada con tapa superior debe tener todos los extremos cortados sellados con un sellador de extremos tg para maximizar la resistencia a la intemperie y validar la garantía. El material debe aplicarse según las instrucciones. Cualquier material considerado defectuoso por el fabricante será reemplazado en pie de pie de uno por uno con la autorización y presentación apropiadas del material defectuoso. Ningún costo de mano de obra o de flete será honrado. El fabricante no acepta responsabilidad por cualquier daño resultado de la instalación o el retiro de una moldura (s).

"EL CLIENTE DEBE DETERMINAR LA ADECUACIÓN Y EL ADECUADO PARA CADA APLICACIÓN "

CONDICIONES

Los términos del 3 de abril de 2023 supercederán todos los términos anteriores.
30 días netos (con la aprobación de crédito) 2% mensual cargado en cuentas vencidas.

DEVOLUCIONES

Todo el material devuelto debe tener autorización por escrito y ser devuelto con flete prepagado. Toda la mercancía devuelta con una antigüedad no mayor a 6 meses desde la fecha de facturación, color y/o perfil están sujetos a una tarifa de reposición del 20%. No hay reembolsos en efectivo de los bienes devueltos. Sólo intercambio.

RECLAMOS - PÉRDIDA Y ESCASEZ

Cualquier reclamo por escasez de productos o errores debe enviarse a trimco ini por escrito dentro de los cinco (5) días hábiles de recibir el envío. Cualquier reclamo por pérdida o daño en tránsito debe hacerse directamente al transportista. La pérdida se debe anotar en el recibo de entrega.

Contact Us



OUR MAIN OFFICE

9823 State Highway 53 N,
Upper Sandusky, OH 43351



PHONE NUMBER

1-419-294-2358
Fax: 1-419-294-1221



EMAIL & WEBSITE

trim-gardsales@uni-grip.com
www.trimco.info

SOCIAL MEDIA



@trimco.info



trimco.info



[Trimco a Division
of Trim-Gard](#)



@trimcomanufacturing

Need Samples?

If you are a dealer, wholesaler, distributor, or looking for a custom part for your project, we'd love to send you samples of our products.

Get in touch!